His-tag | 6xHis (100 μg, Clone AD1,1,10)



Cat PA00090

Size 100 μg

Host

Mouse

Clonality

Monoclonal

Confirmed reactivity

Immunogen

Polyhistidine (HHHHHH) tagged polypeptide

Host

Mouse

Clonality

Monoclonal

Purity

Immunogen affinity purified in 100 mM Sodium Phosphate (pH 7.4), 100 mM NaCl, 50 mM Sucrose, 1.5% BSA and 0.01% Thimerosal.

Format

Liquid

Storage

4-8 °C

Application

Flow cytometry (FL), Cell-based assays (CBA), Microarrays (MA), and Microplate applications (MPI)

Recommended dilution

The optimal working dilution should be determined by the investigator

Additional information

Antibody is provided in: 100 mM Sodium Phosphate pH 7,4, 100 mM NaCl, 50 mM Sucrose, 0,1% BSA and 2 mM Sodium Azide

Description

His-Tag is a multi-histidine tag consisting of 6 histidine residues that are introduced into the N or c terminal of a protein. The multi-histidine label can be used for recombinant protein detection using specific antibodies that do not bind to any dye or enzyme.

FOR RESEARCH OR FURTHER MANUFACTURING USE ONLY

Address: SUITE 209, 17 Ramsey Road, Shirley, NY 11967 Tel: 1-631-637-0420